

Prepared for:  
**SHAKE COLLABORATION LLC**

 830 S. LOCUST AVE.  
 FAYETTEVILLE, AR USA 72701

**Silkx Society Pelvic Serum**

Batch ID or Lot Number: <b>#O500NV211-U</b>	Test: <b>Residual Solvents</b>	Reported: <b>17Mar2022</b>	USDA License: N/A
Matrix: Topical	Test ID: T000197413	Started: 16Mar2022	Sampler ID: N/A
	Method(s): TM04 (GC-MS): Residual Solvents	Received: 14Mar2022	Status: N/A

Residual Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	72 - 1447	ND	
Butanes (Isobutane, n-Butane)	141 - 2824	ND	
Methanol	51 - 1030	ND	
Pentane	75 - 1492	ND	
Ethanol	80 - 1610	ND	
Acetone	84 - 1675	ND	
Isopropyl Alcohol	87 - 1745	ND	
Hexane	5 - 98	ND	
Ethyl Acetate	80 - 1604	ND	
Benzene	0.2 - 3.5	ND	
Heptanes	82 - 1641	ND	
Toluene	15 - 305	ND	
Xylenes (m,p,o-Xylenes)	113 - 2268	ND	

**Final Approval**


 Jacob Miller  
 16Mar2022  
 04:45:00 PM MDT



 Ryan Weems  
 16Mar2022  
 04:48:00 PM MDT


PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/d7690cdb-3b5b-4b7b-8414-c1878c88ae67>
**Definitions**

 ND = None Detected (defined by dynamic range of the method)  
 Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA.


 Cert #4329 02  
 d7690cdb3b5b4b7b8414c1878c88ae67 1

Prepared for:  
**SHAKE COLLABORATION LLC**  
 830 S. LOCUST AVE.  
 FAYETTEVILLE, AR USA 72701

## Silkx Society Pelvic Serum

Batch ID or Lot Number: <b>#O500NV211-U</b>	Test: <b>Pesticides</b>	Reported: <b>18Mar2022</b>	USDA License: NA
Matrix: Concentrate	Test ID: T000197410	Started: 17Mar2022	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 14Mar2022	Status: NA

Pesticides	Dynamic Range (ppb)	Result (ppb)	Pesticides	Dynamic Range (ppb)	Result (ppb)
Abamectin	285 - 2836	ND	Malathion	282 - 2728	ND
Acephate	22 - 2768	ND	Metalaxyl	36 - 2724	ND
Acetamiprid	38 - 2784	ND	Methiocarb	36 - 2754	ND
Azoxystrobin	36 - 2744	ND	Methomyl	40 - 2777	ND
Bifenazate	36 - 2731	ND	MGK 264 1	162 - 1661	ND
Boscalid	39 - 2849	ND	MGK 264 2	107 - 1140	ND
Carbaryl	34 - 2710	ND	Myclobutanil	44 - 2733	ND
Carbofuran	35 - 2707	ND	Naled	36 - 2746	ND
Chlorantraniliprole	44 - 2727	ND	Oxamyl	39 - 2784	ND
Chlorpyrifos	43 - 2796	ND	Paclobutrazol	42 - 2674	ND
Clofentezine	280 - 2758	ND	Permethrin	299 - 2786	ND
Diazinon	281 - 2752	ND	Phosmet	36 - 2722	ND
Dichlorvos	265 - 2775	ND	Prophos	276 - 2727	ND
Dimethoate	37 - 2798	ND	Propoxur	37 - 2719	ND
E-Fenpyroximate	272 - 2833	ND	Pyridaben	294 - 2747	ND
Etofenprox	37 - 2778	ND	Spinosad A	32 - 2241	ND
Etoxazole	298 - 2775	ND	Spinosad D	51 - 503	ND
Fenoxycarb	37 - 2723	ND	Spiromesifen	274 - 2844	ND
Fipronil	27 - 2755	ND	Spirotetramat	267 - 2730	ND
Flonicamid	53 - 2744	ND	Spiroxamine 1	16 - 1176	ND
Fludioxonil	320 - 2719	ND	Spiroxamine 2	20 - 1553	ND
Hexythiazox	34 - 2817	ND	Tebuconazole	270 - 2725	ND
Imazalil	292 - 2686	ND	Thiacloprid	37 - 2779	ND
Imidacloprid	36 - 2813	ND	Thiamethoxam	37 - 2821	ND
Kresoxim-methyl	49 - 2805	ND	Trifloxystrobin	36 - 2747	ND

### Final Approval



Karen Winternheimer  
 18Mar2022  
 12:42:00 PM MDT



Daniel Weidensaul  
 18Mar2022  
 12:53:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/dc6825cf-e42a-4880-a32b-8903227ea0b2>

#### Definitions

ND = None Detected (defined by dynamic range of the method)  
 Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range  
 ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA.



Cert #4329 02  
 dc6825cfe42a4880a32b8903227ea0b2.1

Prepared for:  
**SHAKE COLLABORATION LLC**  
 830 S. LOCUST AVE.  
 FAYETTEVILLE, AR USA 72701

**Silkx Society Pelvic Serum**

Batch ID or Lot Number: <b>#O500NV211-U</b>	Test: <b>Heavy Metals</b>	Reported: <b>17Mar2022</b>	USDA License: NA
Matrix: Unit	Test ID: T000197412	Started: 16Mar2022	Sampler ID: NA
	Method(s): TM19 (ICP-MS): Heavy Metals	Received: 14Mar2022	Status: NA

<b>Heavy Metals</b>	<b>Dynamic Range (ppm)</b>	<b>Result (ppm)</b>	<b>Notes</b>
Arsenic	0.04 - 4.32	ND	
Cadmium	0.04 - 4.42	ND	
Mercury	0.04 - 4.41	ND	
Lead	0.04 - 4.17	ND	

**Final Approval**

*Samantha Smith*  
 Sam Smith  
 17Mar2022  
 11:29:00 AM MDT

*Daniel Weidensaul*  
 Daniel Weidensaul  
 17Mar2022  
 11:36:00 AM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/106bffd-bbd2-4b5f-a815-f10a7ba1ccc9>
**Definitions**

ND = None Detected (defined by dynamic range of the method)  
 Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA.



Cert #4329 02  
 106bffd-bbd24b5fa815f10a7ba1ccc9.2